

FARE LABS Private Limited

L-17/3, DLF Phase-II, IFFCO Chowk, M.G. Road,

Gurgaon-122002, Haryana, INDIA Phone : +91-124-4223207-08, 4034205

: +91-124-4036038, Cell: +91-93126 64533 Fax

E-mail: farelabs@farelabs.com Website: www.farelabs.com

Issued to: Jatin Green Farm

Opp. Asian Public School, Dhaula Goan,

Sohna Road, Gurgaon.

J.O. No.: FL/FA/21012017-022 Report Date: 27/01/2017

Sample Receipt Date: 21/01/2017 Account Manager: Vartika Khandelwal

Sample Particulars:

Nature of the Sample & No. of Samples

Brand Name, if any

Sample Quantity & Packaging

Test started on Test Completed Method of Sampling Date of Sampling

Sample Collected by

: Cow Milk (One Sample)

: None

: 1Litre, Pet Bottle

: 21/01/2017

: 27/01/2017 : FL/SOP/B/D-3

: 21/01/2017

: Mr. Manvendra Singh (FARE Labs Representative)

Analysis Report

Physical Description- Raw Milk, Free from Off Odor & Taste.

S. No.	Parameters	Test Results	FSSR 2011	Protocol
Chemi	ical Analysis:			
1	Milk Fat, % by wt.	3.5	NLT 3	IS-11721:2013
2	Milk Solid not Fat, % by wt.	8.67	NLT 8.5	AOAC 990.21
Heavy	Metals:			ACAC 990.21
1 .	Lead, mg/kg	ND, [DL-0.02]	2.5 Max	FL/SOP/C-354
2	Copper, mg/kg	0.16	30 Max	FL/SOP/C-14
3.	Arsenic, mg/kg	ND, [DL-0.02]	0.1 Max	FL/SOP/C-354
4	Mercury, mg/kg	ND, [DL-0.02]	1.0 Max	FL/SOP/C-354
5	Tin, mg/kg	0.07	250 Max	FL/SOP/C-354
6	Zinc, mg/kg	6.57	50 Max	FL/SOP/C-14
7	Cadmium, mg/kg	ND, [DL-0.02]	1.5 Max	FL/SOP/C-354
8	Methyl Mercury, mg/kg	ND, [DL-0.02]	0.25 Max	FL/SOP/C-354
Natura	lly Occurring Toxic Materials:			
1	Agaric acid, mg/kg	ND, [DL-2]	100 Max	FL/SOP/C-34
2	Hypericine, mg/kg	ND, [DL-0.1]	1 Max	FL/SOP/C-36
3	Hydrocyanic acid, mg/kg	ND, [DL-0.2]	5 Max	FL/SOP/C-35
4	Saffrole, mg/kg	ND, [DL-1]	10 Max	FL/SOP/C-37
Aflatox	ins:			1 12/30P/C-3/
1	Aflatoxin M ₁ , µg/kg	ND, [DL-0.1]	0.5 Max	FL/SOP/C-17, By LC-MS

Testing Section


M. Třipathi, QM


Page 1 of 3

(AUTHORASED SIGNAMORY)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.

ISO 9001:2015









Analysis Report

		Analysis Report			
S. No.	Parameters	Test Results	FSSR, 2011	Protocol FL/SOP/C-17, By LCM	
1	Melamine, mg/kg	ND, [DL-0.01]	NMT 2.5		
	Residues : (mg/kg)			The state of the s	
1	2, 4- D	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
2	Aldrin	ND, [DL-0.005]	0.15 Max	AOAC 970.52	
3	Dieldrin	ND, [DL-0.005]	0.15 Max	AOAC 970.52	
4	Carbendazim	ND, [DL-0.005]	0.1 Max	AOAC 970.52	
5	Chlordane	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
6	Chlorpyrifos	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
7	Cypermethrin	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
8	2,4 D.D.T	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
9	4,4 D.D.D	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
10	2,4 D.D.E	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
11	4,4 D.D.T	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
12	2,4 D.D.D	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
13	4,4 D.D.E	ND, [DL-0.005]	1.25 Max	AOAC 970.52	
14	Fenitrothion	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
15	Fenvalerate	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
16	Heptachlor	ND, [DL-0.005]	0.15 Max	AOAC 970.52	
17	Heptachlor epoxide	ND, [DL-0.005]	0.15 Max	AOAC 970.52	
18	Alpha-HCH	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
19	Beta-HCH	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
20	Delta-HCH	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
21	Lindane	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
22	Phorate	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
23	Pirimiphos-methyl	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
24	Benomyl	ND, [DL-0.005]	0.1 Max	AOAC 970.52	
25	Carbofuran	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
26	Chlorfenvinphos	ND, [DL-0.005]	0.2 Max	AOAC 970.52	
27	Edifenphos	ND, [DL-0.005]	0.01 Max	AOAC 970.52	
28	Ethion	ND, [DL-0.005]	0.5 Max	AOAC 970.52	
29	Fenthion	ND, [DL-0.005]	0.05 Max	AOAC 970.52	
30	Monocrotophos	ND, [DL-0.005]	0.02 Max	THE CONTRACT DESIGNATION OF THE CONTRACT OF	
31	Phenthoate	ND, [DL-0.005]	0.02 Max	AOAC 970.52 AOAC 970.52	

Testing Section

Prepared By Rita Singh

Checked By) Dr. M. Tripathi, QM

Page 2 of 3

(AUTHORISED SIGNATIONY)
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.



Analysis Report

S. No.	Parameters	Test Results	FSSR 2011	
1icrob	iological Analysis:		100K 2011	Protocol
	Total Bacterial count, cfu/ml	431818		
2	Coliform count, /100ml		建工业时间或进行的运行	IS-5402
	comorni codric, / 100mi	Absent		IS-5401 (P-2

ND= Not Detected; DL= Detection Limit; NLT= Not Less Than Inference- The tested sample of Milk conforms to FSSR, 2011 w.r.t above tests only.

Testing Section

Prepared By Shailja Raina

Checked By: Dr. M. Tripathi, QM

Page 3 of 3

(AUTHORISED SIGNATORY)
Ms. Meenakshi Bakshi, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.